
108M5214 Rev. AV

Offering plant-wide condition monitoring insights to reduce risk, increase productivity, and minimize unplanned downtime.

System 1 streamlines decision-making processes by bringing machine data into a single platform, providing clarity and context to your operations and enterprise. Harnessing the power of Bently Nevada's decades of machinery research and advanced diagnostics expertise, this powerful tool is a key component of successful digital transformation in any industrial facility. By combining its **Connectivity, Analytics**, and **Visualization** capabilities, System 1 is the premier Edge historian and condition monitoring platform among industrial operators.




Bently Nevada has a rich heritage in helping customers solve industrial maintenance challenges that is over 60 years strong. Through user research in 25 countries with more than 500 end users, we have studied our customers' team dynamics, site processes, and technology suites to determine how System 1 can best support plant-wide machinery management. The resulting platform is the most comprehensive and user-intuitive condition monitoring solution ever developed.



Connectivity + Analytics + Visualization = A Complete Solution





System 1 connects to data sources on the Edge and collects high resolution vibration, process, and control system data. This data can be collected at up to once-per-second from a Bently Nevada Device, such as 3500 or Ranger Pro, from a Programmable Logic Controller (PLC), or from another Historian. In addition, an alarm on any tag mapped to a machine will trigger high-resolution data capture from all other tags, which includes 100ms static data from Bently Nevada's 3500 and Orbit 60 Series devices.



Analytics

Within System 1, threshold alarms can be configured per machine operating state, with adjustable settings for time delay, latching, and suppression. Four levels of alarm setpoints can be configured per measurement, regardless of the source of the data (e.g., Bently Device, OPC, Modbus). Decision Support extends the analytic capabilities of System 1, enabling users to build custom rules for deeper insights into the behavior of their machines and enhanced knowledge across plants or entire enterprises. Bently Performance further expands analytic capabilities within System 1 by offering online thermodynamic performance monitoring.



Decision Support




Bently Performance






Visualization



Post collection and analysis, System 1 provides best-in-class visualization tools. The HMI builder allows users to graphically represent their entire Plant System using the built-in symbol library. The HMI view graphically depicts operational health, allowing users to focus on their high priority assets. Collected data can be viewed and manipulated within the plotting workspace, enabling users to diagnose machinery health issues. With a multitude of plot types and tools, users can quickly identify abnormalities and assess their impact on the smooth operation of their facility.





General Capabilities

Distributed Client/Server Deployment

- TCP/IP Client to Server Communication (Ports 7550 and 7551)
- · Clients can connect to five different condition monitoring databases simultaneously on a server.
- A single Server 1 server can support online data collection for up to 5 databases.
- System performance tested with 5 simultaneous client connections to one online database.

Data Replication

- Access System 1 on the business network by replicating data across a data diode or firewall.
- · Reduce Cyber Security risks to an acceptable level.

User Security Roles

- · Leverages Windows Domain and local accounts
- · Administrator Role (Read, Write, Database Management)
- Advanced Role (Read, Write)
- Basic Role (Read Only)
- Users with the Edit Settings right can modify the settings for the Advanced and Basic roles.
- · Users with server administrator privileges can add new user-defined roles.

Database and Server Capacity

- System 1 Server can run five online condition monitoring databases.
- The System 1 Server can contain multiple portable databases in addition to the online databases.
- Each condition monitoring database can contain a maximum of 5000 pieces of equipment.
 (Motor + Pump = 2)
- Embedded PostgreSQL for data storage and management
- Edit Trend, Alarm, and Transient Data Store sizes and monitor health over time to avoid losing data.
 Available only for online data.

Display Unit Preferences

Effortlessly switch between As Configured, Imperial, and SI unit systems from Display.



System Specifications and Recommendations

Standard Server	Racks: Dual Intel Xeon 4208 8-core, 2.1GHz Processors, 16 cores total, 32 logical processors
	Towers: Dual Intel Xeon 4210 10-core, 2.2GHz Processors, 20 cores total, 40 logical processors
	64 GB RAM or above Operating System Hard Disk: RAID 1 & 300 GB - 10000 RPM Historian Hard Disk: RAID 6 - 10,000 RPM DVD-RW
Light Server	Rack: Single Intel Xeon 4208 8-core, 2.1GHz Processors, 8 cores total, 16 logical processors
	Tower: Single Intel Xeon 4210 10-core, 2.2GHz Processors, 10 cores total, 20 logical processors
	16 GB RAM or above Operating System Hard Disk: RAID 1 & 300 GB - 10,000 RPM Historian Hard Disk: RAID 6 & 1.2 TB- 10,000 RPM DVD-RW
Workstation	Intel Xeon W-2123 (3.6 GHz Processor)
	16 GB RAM or above 1 GB Graphics Card 1 TB Hard Drive - 7200 RPM DVD-RW
Laptop	i7 - 8850H (2.6 GHz Processor) 6 cores
	16 GB RAM or above HD Graphics Card 512GB Solid State Drive DVD-RW
Virtualized Systems	Refer to Virtualized Systems Technical White Paper, document number 125M6425.
Network speed	Minimum 100 Mbps recommended
Supported Operating Systems	Microsoft Windows® 2022 Server Standard Edition 64 bit Microsoft Windows® 2019 Server Standard Edition 64 bit Microsoft Windows® 2016 Server Standard Edition 64 bit Microsoft Windows® 11 Professional 64 bit (23H2, 22H2) [†] Microsoft Windows® 10 Professional 64 bit (22H2) [†] † Recommended for Client
	I.



System 1 Ordering

Package Types

System 1 can be ordered in three different package types:

Asset-Based: Order by condition monitoring criticality and quantity of assets.



Industry-Based: Order by application industry and size. Includes unlimited data import across all devices.



Device-Based: Order by type and quantity of devices.



- 1 = 3500
- 2 = 2300
- 3= Orbit 60
- 4 = Orbit DCM
- 5 = vbOnline Pro
- 6 = TrendMaster
- 7 = RangerPro
- 8 = SCOUT
- 9 = Process Data Import/Export (Examples: OPC DA/UA, MODBUS)

License Types

All System 1 Packages can be ordered as Perpetual or Subscription. While System 1 functionality is identical for both license types, key structural differences exist:

Perpetual Type

- Larger upfront investment (one-time CAPEX)
- Must purchase support and updates (M&S) separately (OPEX lower than Subscription)
- · Software license does not expire
- · Support and updates cease if M&S is cancelled



Subscription Type

- Smaller upfront investment (flat year-over-year OPEX)
- · Subscription license fee includes support and updates
- · Software stops working if subscription is cancelled

Additional Information

What is a System 1 Display Client?

A System 1 Display Client can connect to the System 1 Server residing locally on the same computer or remotely via network access. Local clients can have full access to the condition monitoring database. Remote clients can connect to a condition monitoring database only when direct or networked access to the server is available.

What is a System 1 Server?


A System 1 Server may contain one or more condition monitoring databases accessible from one or more Display Clients. Historical data and configuration structure reside on the server. Hence, the databases are always available.

What are + packages?

When ordering by device, a base package must be selected. Select the System 1 Premium+ and Advanced+ packages to use portable data collectors in addition to online devices.

Package	Online Continuous CM	Scanning & Process CM	Portable CM
Premium+	✓	✓	✓
Premium	✓	✓	
Advanced+		✓	✓
Advanced		✓	
Fundamental			✓

Asset-Based Packages



Asset-Based Packages are ordered by condition monitoring asset criticality and quantity, with four asset categories:

Category A Assets

- · High criticality assets
- Dedicated online continuous monitoring & protection

Category B Assets

- Essential Assets
- Dedicated online-periodic monitoring or shared continuous monitoring & protection

Category C Assets



- · Low Criticality Assets
- Online periodic monitoring only or distributed protection & monitoring

Category D Assets

- · Balance of Plant
- · Offline periodic monitoring using portable devices

Package	Online Continuous Mopnitoring & Protection ¹	Shared Monitoring & Protection or Dedicated Scanning & Process CM ²	Shared Scanning CM or dedicated distributed solution3	Offline Portable ⁴	Replication	Static Data Import/Export	Modbus Import	Waveform Export
Asset A	✓	✓	✓	√				
Asset B		✓	✓	√				
Asset C			✓	√				
Asset D				√				
CMS Core						✓	√	
IIoT Integration					√			√

- 1 Dedicated 3500 rack
- 2 Typically shared 3500 rack or dedicated Orbit DCM/vbOnline Pro/TrendMaster
- 3 Typically 2300/1900/Ranger Pro or shared Orbit DCM/vbOnline Pro/TrendMaster
- 4 SCOUT and vbX Series portables for offline periodic monitoring

Asset-Based Packages					
	Perpetual		Subscription		
3071/75 S	system 1 Asset Package	3072/75 Sy	stem 1 Asset Package		
A: Catego	ry A Assets	A: Purchas	е Туре		
Qty#	0 ->n	01	New(First time purchase)		
B: Catego	ry B Assets	02	Renewal		
Qty#	0 ->n	B: Term (S	Subscription Term in Years)		
C: Catego	ry C Assets	##	Numeric Entry (1 ->5 years)		
Qty#	0 ->n	C: Categor	y A Assets		
D: Category D Assets		Qty#	0 ->n		
Qty#	0 ->n	D: Categor	D: Category B Assets		



Asset-Based Packages					
	Perpetual		Subscription		
E: CMS Core		Qty#	0 ->n		
00	Not Included	E: Category C As	sets		
01	Included	Qty#	0 ->n		
02	Expansion Order				
F: IIoT Integra	ition Package	F: Category D As	sets		
00	Not Included	Qty#	0 ->n		
01	Included	G: CMS Core			
02	Expansion Order				
G: Quantity of	Server Licenses	00	Not Included		
##	Numeric Entry [1->25]	01	Included		
00	Expansion Order Only	02	Expansion Order		
H: Industry		H: IIoT Integratio	n Package		
01	Oil & Gas Upstream	00	Not Included		
02	Oil & Gas Midstream	01	Included		
		02	Expansion Order		
03	Oil & Gas Downstream	I: Quantity of Ser	ver Licenses		
04	Petrochemical	##	Numeric Entry [1->25]		
		00	Expansion Order Only		
05	LNG	J: Industry			
06	Power Gen - Thermal/Nuclear	01	Oil & Gas Upstream		
07	Other Markets	02	Oil & Gas Midstream		
08	Power Gen - Hydro	03	Oil & Gas Downstream		
		04	Petrochemical		
		05	LNG		
		06	Power Gen - Thermal/Nuclear		
		07	Other Markets		
		08	Power Gen - Hydro		



Industry-Based Packages



















Industry-Based Packages are offered for General Industrials, Power Generation, and Wind Generation. Ordering is based off of application industry and size.

Package	Online Continuous CM	Scanning & Process CM	Portable CM	Replication	Performance	Alarm Event Data Export	Static Data Import/Export	Waveform Export	Ranger Pro
Industrial	✓	✓	✓			✓	✓		√
Power Gen	√	✓	√			√	√		√
Wind		√				✓	✓		



General Industrial Package

	General Industrial Package					
	Perpetual		Subscription			
3071/70 System 1 for Industrials		3072/70	3072/70 System 1 for Industrials			
A: Indus	try Type	A: Purch	ase Type			
01	Pulp and Paper	01	New (first time purchase)			
02	Air Separation	02	Renewal			
03	Sugar Production	B: Term	(Subscription Term)			
04	Wastewater	##	Numeric Entry [1->5 years]			
05	Drilling Rigs	C: Indus	try Type			
06	Steel Production	01	Pulp and Paper			
07	Food & Beverage	02	Air Separation			
08	Manufacturing	03	Sugar Production			
09	Pharmaceuticals	04	Wastewater			
10	Marine Vessel	05	Drilling Rigs			
11	Mining	06	Steel Production			
B: Packa	age Size	07	Food & Beverage			
01	Small Database	08	Manufacturing			
02	Medium Database	09	Pharmaceuticals			
03	Large Database	10	Marine Vessel * add 11 option for mining			
04	Extra Large Database	11	Mining			
C: Quan	tity of Server Licenses	D: Packa	age Size			
##	Numeric Entry [1 ->25]	01	Small Database			
	,	02	Medium Database			
		03	Large Database			
		04	Extra Large Database			
		E: Quan	tity of Server Licenses			
		##	Numeric Entry [1 ->25]			



*Navy, Container Ship, LNG Transport, FSRU, etc. NOT applicable for FPSO, FSO, or FLNG vessels.



Power Generation Industrial Package

Power Generation Industrial Package				
	Perpetual	Subscription		
3071/80 System	1 for Power Generation	3072/80 System	1 for Power Generation	
A: Package Option	on	A: Purchase Typ	e	
01	New Order	01	New (first time purchase)	
02	Expansion Order	02	Renewal	
B: Plant Output (B: Plant Output (MW) - Not Fleet or Multi-Site		ption term)	
##	Numeric Entry [0->30,000 MW]	##	Numeric Entry [1->5 years]	
C: Quantity of Pla	ant Server Licenses	C: Package Option		
##	Numeric Entry [1 ->25]	01	New Order	
		02	Expansion Order	
		D: Plant Output (MW) - Not Fleet or Multi-Site		
		##	Numeric Entry [0->30,000 MW]	
		E: Quantity of Pla	ant Server Licenses	
		##	Numeric Entry [1->25]	



Note: It is not acceptable to use this license for multiple sites or an entire fleet.



Wind Generation Industrial Package

Wind Generation Industrial Package				
	Perpetual	Subscription		
3071/84 Sys	stem 1 for Wind Generation	3072/84 System 1 for W	/ind Generation	
A: Plant Out	put (MW)	A: Purchase Type		
##	Numeric Entry [7 ->1000 MW]	01	New (first time purchase)	
B: Quantity	of Server Licenses	02	Renewal	
##	Numeric Entry [1 ->25]	B: Term (Subscription term in years)		
C: License 7	Гуре	##	Numeric Entry [1, 2, 3, 4 or 5]	
01	TX	C: MW Output of Wind Farm		
02	RX	##	Numeric Entry [7->1000 MW]	
		D: Quantity of Server Li	censes	
		##	Numeric Entry [1->25]	
		C: License Type		
		01	TX	
		02	RX	



It is acceptable to license multiple sites or an entire fleet using this part number, as long as an active M&S is in place or all of the sites or the entire fleet.



This package includes data import for up to 200 vbOnline Pro devices. Separate device import licenses are not required.



Device-Based Packages



















Device-Based Packages are ordered by base package, device type, and quantity. Base packages are:

System 1 Premium

Provides connectivity to all of Bently Nevada's online devices, as well as process data sources. Select the System 1 Premium+ option to add support for portable data collectors.

System 1 Advanced

Provides connectivity to Bently Nevada's scanning and wireless devices, as well as process data sources. Select the System 1 Advanced+ option to add support for portable data collectors.

System 1 Fundamental

Provides connectivity to Bently Nevada's portable data collectors.

Package	Online Continuous CM	Scanning & Process CM	Portable CM	Replication	Performance
Premium+	✓	✓	✓		
Premium	✓	✓			
Advanced+		✓	✓		
Advanced		✓			
Fundamental			✓		
Replication				✓	
Performance					√

System 1 Premium [Highly Critical]

Premium Package					
	Perpetual		Subscription		
3071/10 System 1 Software Premium Package		3072/10 Syste	3072/10 System 1 Software Premium Package		
A: Software Package		A: Purchase T	Гуре		
01	Premium Package	01	New(first time purchase)		
02 Premium+ Package		02	Renewal		
B: Quantity of Display Clients		B: Term (Subs	scription Term in Years)		



Premium Package				
	Perpetual	Subscription		
01	Single Client Package	##	Numeric Entry (1 ->5 years)	
05	Small Package [6 Clients]	C: Software Packa	age	
10	Medium Package [11 Clients]	01	Premium Package	
15	Unlimited Clients	02	Premium + Package	
C: Quantity of Ser	ver Licenses	D: Quantity of Display Clients		
Qty#	1->n	01	Single Client Package	
		05	Small Package [6 Clients]	
		10	Medium Package [11 Clients]	
		15	Unlimited Clients	
		E: Quantity of Server Licenses		
		Qty#	1 ->n	



System 1 Advanced [Critical]

	Advanced Package				
	Perpetual	Subscription			
3071/05 System 1 Software Advanced Package		3072/05 System 1	Software Advanced Package		
A: Software Package		A: Purchase Type			
01	Advanced Package	01	New (first time purchase)		
02	Advanced+ Package	02	Renewal		
B: Quantity of Dis	B: Quantity of Display Clients		otion Term in Years)		
01	Single Client Package	##	Numeric Entry (1 ->5 years)		
05	Small Package [6 Clients]	C: Software Pack	age		
10	Medium Package [11 Clients]	01	Advanced Package		
15	Unlimited Clients	02	Advanced+ Package		
C: Quantity of Se	rver Licenses	D: Quantity of Display Clients			
Qty#	1->n	01	Single Client Package		
		05	Small Package [6 Clients]		
		10	Medium Package [11 Clients]		
		15	Unlimited Clients		
E: Quantity of Server Licenses		ver Licenses			
		Qty#	1->n		



System 1 Fundamental [Less Critical]

	Fundamental Package				
	Perpetual	Subscription			
3071/01 System 1 Software Fundamental Package		3072/01 System 1	Software Fundamental Package		
A: Quantity of Dis	play Clients	A: Purchase Type			
01	Single Client Package	01	New (first time purchase)		
05	Small Package [6 Clients]	02	Renewal		
10	Medium Package [11 Clients]	B: Term (Subscription Term in Years)			
15	Unlimited Clients	##	Numeric Entry (1 ->5 years)		
B: Quantity of Ser	ver Licenses	C: Quantity of Display Clients			
Qty#	1->n	01	Single Client Package		
		05	Small Package [6 Clients]		
		10	Medium Package [11 Clients]		
		15	Unlimited Clients		
		D: Quantity of Serv	ver Licenses		
		Qty#	1->n		

Device Ordering

3500 Series Device Import



Quantity (Qty) is the number of racks.

3500 Series Device Import				
	Perpetual	Subscription		
3071/11 3500 Se	eries Device Import	3072/11 3500 Serie	es Device Import	
A: 3500 Devices	s - Turbomachinery	A: Purchase Type		
Qty#	0 ->n	01	New (first time purchase)	
Monitor turbomachinery and hydro turbine generators. Also monitor general purpose machines when slots available in device.		02	Renewal	
B: 3500 Devices - General Machines		B: Term (subscript	ion term in years)	
Qty#	0 ->n	##	Numeric Entry (1 ->5 years)	



3500 Series Device Import				
	Perpetual	Subscription		
	Monitor general purpose machines. Also monitor turbomachinery or reciprocating compressors when SUSD data not required.			
C: 3500 Device	s - Recip Machines	C: 3500 Devices -	Turbomachinery	
Qty#	0 ->n	Qty#	(Qty # 0->n)	
	Monitor reciprocating compressors. Also monitor turbomachinery and general purpose machines when slots available in device.			
D: TDI Secure I	D: TDI Secure Devices [/42E /45E /PV]		D: 3500 Devices - General Machines	
Qty#	0 ->n	Qty#	(Qty # 0->n)	
	Recommended for monitoring machines that cannot be natively connected to System 1 via standard devices (3rd party HW, Cyber, etc.) • 24Vib + 24 Process points + 4 Tachs			
		E: 3500 Devices - Recip Machines		
		Qty#	(Qty # 0->n)	
		F: TDI Secure Devices		
		Qty#	(Qty # 0->n)	



Table 1: (A-C and E Options) 3500 Turbo, General, Recip and Hydro Racks

Type of Data	Monitor/Data	Description		ВВ	CC
	3500/22	TDI	Х	Х	Х
	3500/25	Keyphasor	Х	Х	Х
	3500/32	Relay 4-ch		Х	Х
	3500/33	Relay 16-ch	Х	Х	Х
	3500/40	TSI	Х	Х	Х
	3500/42	Extended TSI	Х	Х	Х
	3500/44	Aeroderivative	Х	Х	Х
	3500/45	Position	Х	Х	Х
Supported Monitors	3500/46	Hydro Turbine/Generator			
	3500/50	Tachometer		Х	Х
	3500/60-/61	Temperature		Х	Х
	3500/62	Process Variable		Х	Х
	3500/64	Dynamic Pressure		Х	Х
	3500/65	Temperature 16-ch		Х	Х
	3500/70	Recip Impulse/Velocity		Х	Х
	3500/72	Recip Rod Drop/Position		Х	Х
	3500/77	Recip Cylinder Pressure			Х
	SUSD	Transient Data	Х		X
Data Taras	ALARM	Alarm Data	Х	Х	X
Data Types	WF	Waveform Data	Х	Х	X
	TRND	Trend Steady State	Х	Х	X



Orbit 60 Series Device Import

Orbit 60 Series Device Import				
	Perpetual		Subscription	
3071/18	3071/18 Orbit 60 Series Device Import		Orbit 60 Series Device Import	
A: License		A: Purch	ase Type	
01	New License	01	New (first time purchase)	
02	Existing License Transfer	02	Renewal	
B: System	n Type	B: Term	(subscription term in years)	
00	Category A - Continuous online protection	##	Numeric Entry (1 -> 5 years)	
01	Category B - Periodic monitoring	C: Licen	se	
02	Category C - Plantwide monitoring	01	New License	
C: Syster	n Size	02	Existing License Transfer	
01	1-20 Dynamic and 6 Process	D: Syste	m Type	
02	21-40 Dynamic and 12 Process	00	Category A - Continuous online protection	
03	41-60 Dynamic and 18 Process	01	Category B - Periodic monitoring	
04	61-80+ Dynamic and 24+ Process	02	Category C - Plantwide monitoring	
	·	E: Syste	m Size	
		01	1-20 Dynamic and 6 Process	
		02	21-40 Dynamic and 12 Process	
		03	41-60 Dynamic and 18 Process	
		04	61-80+ Dynamic and 24+ Process	

Condition Monitoring & Basic Protection Device

Condition Monitoring & Basic Protection Device Import				
	Perpetual	Subscription		
3071/13 Condition Monitoring & Basic Protection Device		3072/13 Condition Monitoring & Basic Protection Device		
A: Orbit DCM/vbOnline Pro Monitoring Device		A: Purchase Type		
Qty#	0 ->n	01	New (first time purchase)	



	Condition Monitoring & Basic Protection Device Import				
	Perpetual	Subscrip	tion		
	Orbit DCM				
	 16 Channel Vibration + 4 Keyphasors Trend static and waveform data High Resolution Alarm Data Capture Transient Data Capture 				
	vbOnline Pro				
	 12 simultaneous monitoring points + 2 tachs 30 sec trend / 10 min waveform data capture Simultaneous Alarm Snapshot (1 per 30 sec) 	02	Renewal		
B: 2300 Monito	oring Device	B: Term (Subscription term in years)			
Qty#	0 ->n	##	Numeric Entry (1 -> 5 years)		
	 2 simultaneous monitoring points + 1 tach 1 sec trend / 10 min waveform data capture 				
C: Ranger Pro	Device	C: Orbit DCM/vbOnline Pro Devi	ces		
Qty#	0 ->n	Qty#	(Qty #0->n)		
	 Single axis: 1 accel point + 1 temperature Triaxial: 3 accel points + 1 temperature point 10 min trend / 6 hour waveform data capture 				
D: Trendmaste	r TIMs	D: 2300 Series Monitoring Device	es		
Qty#	0 ->n	Qty#	(Qty #0->n)		



Condition Monitoring	& Basic Protection Device Import
Perpetual	Subscription
Supported Cards	
149776-01 10/100 base T149776-02 Fiber Optic	
Supported Module and Point Types ProTIM (Programmable Transducer Interface Module)	
 Accel to Velocity Point Low Frequency Accel to Velocity Point Rack Buffer Output ProTIM Temperature Point: 2-3 wire Platinum RTD Temperature Point: 4 wire RTD Speed Input: Keyphasor Displacement Point Pressure Point Accel to Velocity with Enveloping FlexiTIM Accel to Velocity FlexiTIM 100 Ohm Platinum RTD FlexiTIM TC FlexiTIM K TC FlexiTIM K TC FlexiTIM Rack Buffered Output TIM Rack Buffered Output TIM Temperature - J TC Flexi TIM Temperature - K TC Flexi TIM Velocity TIM 1900 Monitors 1900/25 Velocity Monitor 	
• 1900/55 Fan Monitor	



Condition Monitoring & Basic Protection Device Import					
Perpetual Subscription					
		E: Ranger Pro Devices			
		Qty#	(Qty #0->n)		
		F: Trendmaster TIMs			
		Qty#	(Qty #0->n)		
		Qty#	0 ->n		



Process Data Import

	Process Data Import				
	Perpetual	Subscription			
3071/14 Pro	cess Data Import	3072/14 P	Process Data Import		
A:OPC DA /	UA Server Import - Static/Waveform Data	A: Purcha	se Type		
Qty#	1->n	01	New (first time purchase)		
	 OPC DA Includes up to 15,000 tags for a System 1 Server (max 15,000 combined OPC DA and Modbus) Supports setpoints imported as OPC tags (Up to 60,000 tags) 1 sec trend data capture OPC UA Import includes up to 	02	Renewal		
	 40,000 static tags, 2000 Asynch waveform tags 1 sec static trend data capture 10 minute waveform data capture 				
B:Modbus In	nport - Static Data	B: Term (Subscription term in years)			
Qty#	1->n	##	Numeric Entry (1 ->5 years)		
	 Includes up to 200 Modbus devices Includes up to 15,000 tags for a 	C:OPC DA	A and OPC UAServer Import		
	System 1 Server (max 15,000 combined OPC DA and Modbus)	Qty#	1->n		
	Supports Dynamic Setpoints (Up to 30,000 tags) (Postgres Database only)		s Import		
	1 sec trend data capture for process and Enum points	Qty#	1 ->n		
	200 ms collection rate for 20% of the Modbus points (Postgres Database only)				



Process Data Export

Process Data Export				
	Perpetual	Subscription		
3071/15 P	3071/15 Process Data Export		Process Data Export	
	A Server Export (1 per server) 00 tags export supported)	A: Purcl	nase Type	
Qty#	1->n	01	New (first time purchase)	
	 Export static data via OPC DA protocol for online tags for a S1 server. Export rates configurable by client. 	02	Renewal	
B: OPC UA Server Export - Waveforms (1 per server)		B: Term	(Subscription term in years)	
Qty#	1->n	##	Numeric Entry (1 ->5 years)	
	Maximum number of exported waveform tags per for a System 1 database is 3000 waveforms tags (combination of	C: OPC DA Server Export		
		Qty#	1 ->n	
	synchronous and asynchronous waveforms).	D: OPC UA Server Export - Waveforms		
	 Waveforms - 10 minute intervals or at device rate interval. 	Qty#	1 ->n	
C: OPC U	A Server Export - Static Data (1 per server)	E: OPC	UA Server Export - Static Data	
Qty#	Static tags - 1 second interval or at device rate.	Qty#	1 ->n	
D: OPC UA Server Export - Alarm Events (1 per server)		F: OPC	UA Server Export - Alarm Events	
Qty#	Events - exported as soon as new alarm events are logged in System 1.	Qty#	1 ->n	



It is recommended to meet the standard server specification for performing OPC UA export from five online portable databases on a single System 1 Server.



Database Replication

Database Replication		
	Perpetual	Subscription
3071/16 System 1 Replication		3072/16 System 1 Replication
A: Tx Server(s) (Total SW License Price of Tx Server)		
##	Numeric entry (in local currency)	
	 Conduit to move data to the business network Contains config info and connection to devices 	To order System 1 Replication via Subscription, reference the Cordant 3073/16 Portfolio.
B: Rx Server(s)		Contact your Bently Nevada Sales Representative
Qty#	1 -> 8	for more information.
	 Database mirroring S1 server on Plant Network Supports 80-90% of condition monitoring tasks 	



A standard server specification can support one to five replications. For six to eight replications, it is recommended to have SSD on the Rx server.



Performance Monitoring

Performance Monitoring				
Perpetual		Subscription		
3071/17 System 1 Performance		3072/17 System 1 Performance		
A: Complex Ma	chines	A: Purchas	ве Туре	
Qty#	0 ->n	01	New (first time purchase)	
1	Expander Recompressor, Gas Turbine, Side Stream Compressor Counts per stage/casing	02	Renewal	
B: Simple Mach	nines	B: Term (S	ubscription term in years)	
Qty#	0->n	##	Numeric Entry (1 ->5 years)	
(η)	Pump, Compressor, Steam Turbine,	C: Comple	x Machines	
Q	Fan, Expander, Generator, Heat Exchanger	Qty#	0 ->n	
C: S1 Servers with Performance (Excel licenses)		D:Simple Machines		
Ot . #	0 >=	Qty#	0 ->n	
Qty#	0 ->n	E: S1 Serv	ers with Performance	
D: Not Applicable		Qty#	0 ->n	
Qty # 0		F : Not Applicable		
E. Purchase Ty	уре	Qty#	0	
01	New	G. Industr	у	
02	Expansion	00	Baseline	
F. Industry		01	O&G Upstream	
00	Baseline	02	O&G Midstream	
01	O&G Upstream	03	O&G Downstream	
02	O&G Midstream	04	Petrochemical	
03	O&G Downstream	05	LNG Liquefaction	
04	Petrochemical	06	Power Gen Nuclear/Thermal	
05	LNG Liquefaction	07	Other Markets	
06	Power Gen Nuclear/Thermal	08	Power Gen Hydro	



Performance Monitoring		
	Perpetual	Subscription
07	Other Markets	
08	Power Gen Hydro	



Decision Support Analytics

Decision Support Analytics				
	Perpetual		Subscription	
3071/53	Decision Support Analytics	3072/53	Decision Support Analytics	
A: Qty of	CAT-A Assets	A: Purcha	se Type	
Qty#	0 ->n	01	New (first time purchase)	
B: Qty of	CAT-B Assets	02	Renewal	
Qty#	0 ->n	B: Terms (Years)	
C: Qty of	f CAT-C Assets (future)	##	Numeric Entry (1 ->5 years)	
Qty#	0	C: Qty of 0	CAT-A Assets	
D: Qty of CAT-D Assets (future)		Qty#	0 ->n	
Qty#	0	D: Qty of 0	CAT-B Assets	
E: Functionality		Qty#	0 ->n	
01 Decision Support Analytics		E: Qty of C	CAT-C Assets (future)	
F: Serve	r/DB Qty	Qty#	0	
Qty#	0 ->n	F: Qty of C	F: Qty of CAT-D Assets (future)	
G: Industry		Qty#	0	
01	Oil & Gas Upstream	G: Function	nality	
02	Oil & Gas Midstream	01	Decision Support Analytics	
03	Oil & Gas Downstream	H: Server/	DB Qty	
04	Petrochemical	Qty#	0 ->n	
05	LNG Liquefaction	I: Industry		
06	Power Gen Nuclear/Thermal	01	Oil & Gas Upstream	
07	Other Markets	02	Oil & Gas Midstream	
08	Power Gen - Hydro	03	Oil & Gas Downstream	
		04	Petrochemical	
		05	LNG Liquefaction	
		06	Power Gen Nuclear/Thermal	
		07	Other Markets	
		08	Power Gen - Hydro	





Decision Support and Decision Support Analytics work only with databases using PostgreSQL. Decision Support applied to a targeted Rx server will support a maximum of 8 Rx replicated databases with a maximum of 10,000 results per database. Results may come from Decision Support analytics and / or custom analytics.



System 1 Expansion

	Syst	tem 1 Expansior	າ
	Perpetual		Subscription
3071/25 8	System 1 Software Expansion	3072/25 8	System 1 Software Expansion
A: Packaç	ge Upgrade	A: Purcha	se Type
00	None	01	New(first Time Purchase)
01	Fundamental ->Advanced+	02	Renewal
02	Fundamental ->Premium+	B: Term (Subscription Term in Years)
03	Advanced ->Advanced+	##	Numeric Entry (1 ->5 years)
04	Advanced ->Premium	C: Packaç	ge Upgrade
05	Advanced ->Premium+	00	None
06	Advanced+->Premium+	01	Fundamental->Advanced+
07	Premium -> Premium+	02	Fundamental->Premium+
B: Client Expansion		03	Advanced->Advanced+
00	None	04	Advanced->Premium
05	Small Package [6 Clients]	05	Advanced->Premium+
10	Medium Package [11 Clients]	06	Advanced+->Premium+
15	Unlimited Clients	07	Premium -> Premium+
C: Server	License Expansion	D: Client I	Expansion
00	None	00	None
01	Fundamental Server License	05	Small Package [6 Clients]
05	Advanced Server License	10	Medium Package [11 Clients]
10	Premium Server License	15	Unlimited Clients
	·	E: Server	License Expansion
		00	None
		01	Fundamental Server License
		05	Advanced Server License
		10	Premium Server License
		-	



Software Maintenance and Support (M&S)

System 1 Maintenance and Support (M&S) provides access to the latest platform upgrades through a simplified web portal interface.

- 24/7 technical support (regional specialists)
- · Access to the latest software releases
 - Operating system updates
 - Cyber security patches
 - User-driven feature additions

Maintenance and Support

	2071/20 System 1 Maintenance 9 Sympost	
	3071/20 System 1 Maintenance & Support	
A: M&S Support Level		
00	Basic Support	
01	Essential Support	
02	Premier Support	
	Anti-virus Option, including Total # of Computers (Only in Premier Support)	
	01 Symantec	
	02 McAfee	
	03 None	
B: M&S Term		
##	Numeric Entry (1 ->5 years)	
C: System 1 Products C	overed under M&S Agreement	
01	System 1 (3071)	
04	ADRE SXP	
02, 03, and 05	Not Applicable	
D: Total System 1 Softw	are License Price	
Software value at custom	ner site to be covered by M&S Agreement	
##	Numeric Entry [In Local Currency]	
E: Customer Agreement	Number (CAN)	
##	Text Entry (Ex: CAN1631)	
F: Software Contact Firs	st Name	



3071/20 System 1 Maintenance & Support		
##	Text Entry (Ex. John)	
G: Software Contact Last Name		
##	Text Entry (Ex: Smith)	
H: Software Contact Email Address		
##	Text Entry (Ex. John.smith@bently.com)	
I: M&S Order Type		
01	New [New Customer]	
02	Renewal [Returning M&S Customer]	
03	Expansion [Pre-Existing M&S Customer adding additional software]	



All Anti-virus Options in Premier Support include Microsoft Defender definition updates.



Seller may maintain a de-identified (anonymized/pseudonymized) copy of the Condition Monitoring system database for purposes of customer training and use case demonstrations, unless otherwise negotiated.



Cyber Asset Protection



Includes tested, documented, scripted and securely delivered patches for supported Microsoft® Windows® operating systems, Microsoft® products, and antivirus software on a monthly basis for use with System 1 servers and clients. 3072/40 can be added to Subscription licensing only.

3072/40 System 1 Cyber Asset Protection (CAP)

Α.	D			T
A:	Pu	rcn	ase	Type

01	New (first time purchase)
02	Renewal

B: Term (Subscription term in years)

##	Numeric Entry (1 ->5 years)
C:CAB Computers (per site)	

C:CAP Computers (per site)

Qty#	1->n
------	------

D: Antivirus Product

01	Symantec
02	McAfee
03	None



All Anti-virus Options in 3072/40 include Microsoft Defender definition updates.

Accessories

BN Part Number	Title	Description
136M4565-01	System 1 Disk	Latest version of System 1 on DVD
117M5159-01	System 1 Languages Disk	Latest version of System 1 Languages on DVD
150M1856-01	Decision Support Disk	Latest version of Decision Support on DVD
125M9816-01	System 1 Performance Monitoring Disk	Latest version of System 1 Performance Monitoring on DVD



The 3071/30 System 1 Servers are now in a separate datasheet, see document 133M3049.



Copyright 2024 Baker Hughes Company. All rights reserved.



Bently Nevada, System_1, Trendmaster, ADAPT, vbSeries, Ranger Pro, ADRE, and Orbit Logo are registered trademarks of Baker Hughes Company, in the United States and other countries. The Baker Hughes logo is a trademark of Baker Hughes Company. All other product and company names are trademarks of their respective holders. Use of the trademarks does not imply any affiliation with or endorsement by the respective holders.

Baker Hughes provides this information on an "as is" basis for general information purposes. Baker Hughes does not make any representation as to the accuracy or completeness of the information and makes no warranties of any kind, specific, implied or oral, to the fullest extent permissible by law, including those of merchantability and fitness for a particular purpose or use. Baker Hughes hereby disclaims any and all liability for any direct, indirect, consequential or special damages, claims for lost profits, or third party claims arising from the use of the information, whether a claim is asserted in contract, tort, or otherwise. Baker Hughes reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your Baker Hughes representative for the most current information.

The information contained in this document is the property of Baker Hughes and its affiliates; and is subject to change without prior notice. It is being supplied as a service to our customers and may not be altered or its content repackaged without the express written consent of Baker Hughes. This product or associated products may be covered by one or more patents. See Bently.com/legal.

1631 Bently Parkway South, Minden, Nevada USA 89423 Phone: 1.775.782.3611 (US) or Bently.com/support Bently.com

